

NA1122

High Performance Steam Service Sheet, NBR

Application:

Teadit style NA1122 was developed to exhibit superior thermal stability during extreme thermal cycling applications. It is specifically recommended for saturated and superheated steam services but has also proven itself to be very effective in sealing liquid petroleum derivatives, ethanol, chemical products and other fluids. Field tests have validated the results found in our laboratories and have confirmed the higher performance capabilities of NA1122.

Construction:

Teadit style NA1122 is a compressed non-asbestos sheet gasket material produced from a combination of inorganic fibers and special fillers, bonded with nitrile rubber (NBR). It is manufactured through the hot calendar process under rigorous quality control standards that are registered under ISO-9001 certification. Teadit style NA1122 is also available wire reinforced.


Availability	Size: 59 x 63 in
	59 x 126 in
Temperature	Thickness: 1/64" to 1/8"
	Continuous Service: 806°F (430°C)
Pressure	Maximum Service: 1022°F (550°C)
	Continuous Service: 1480 psi (102 bar)
Color	Maximum Service: 2177 psi (150 bar)
	Black
ASTM F104	F712140E33-M9



Typical Physical Properties:

Density ASTM F36 - @ 1/32" thk	99.88 lb/ft ³ (1.6 g/cm ³)
Density ASTM F36 - @ 1/16" thk	91.14 lb/ft ³ (1.46 g/cm ³)
Compressibility - ASTM F36 J - @ 1/32" thk	7-17%
Compressibility - ASTM F36 J - @ 1/16" thk	12-22%
Recovery - ASTM F36 J	min 40%
Tensile Strength Across Grain - ASTM F152	1305 psi (9 N/mm ²)
Thickness Increase - ASTM F146 - After 5hr	
ASTM IRM903 @ 300 °F (150°C)	max 15%
Fuel B @ 77 °F (25°C)	max 15%
Weight Increase - ASTM F146 - After 5 hr	
ASTM IRM903 @ 300 °F (150°C)	max 30%

P x T Diagram



 General Suitability
  Consultation is Recommended
  Technical Consultation is Mandatory

For applications near or above the "peak" curve, contact Teadit



**Seal & Design
Able Division**
 5533 Steeles Avenue West Unit 11
 Toronto, Ontario M9L 1S7
 Ph: (416) 741-0750
Gasket@AbleSealAndDesign.com



**Seal & Design
Corporate Headquarters**
 4015 Casilio Parkway
 Clarence, NY 14031
 Ph: (716) 759-2222
Info@SealAndDesign.com
www.SealAndDesign.com



**Seal & Design
Higbee Division**
 6741 Thompson Rd N
 Syracuse, NY 13221
 Ph: (315) 432-8021
Sales@Higbee-Inc.com